

SPECIFICATIONS

MODEL ALL200 & ALL300

Maximum Lifting Capacity	Model ALL200 200lbs. Model ALL300 300lbs.
Cable Strength	1,800 lb.
Winch Assembly	1,500 lb. maximum
Locking Mechanisms (2)	1 Disc Brakes on winch 1 brake on motor
Motor	120V AC (Must be on separate circuit from the lights)
Cable Length	35 ft. standard 65, 90, 120 ft. optional*
Wattage Maximum	1 circuit - 1,560 watts (standard) 1 circuit - 2,200 watts (optional)* 2 circuit - 3,300 watts (optional)* 2 circuit - 4,400 watts (optional)*
Dimensions of unit	14" wide x 19" long x 9" high
Shipping Weight	47 lbs.
Remote mounting options available	(65ft cable standard) Electrical wiring 25ft standard (50ft optional)
International shipment available	Step-down Transformer for motor*
Programmable Key Switch	Optional
Relamping Cord (to temporarily relight chandelier at floor level)	Optional

****Special Order; must be ordered with unit and installed at factory***

SPECIFICATIONS

MODEL ALL700

Maximum Lifting Capacity	700 lb.
Cable Strength	3,000 lb.
Winch Assembly	2,500 lb. maximum
Locking Mechanisms (3)	2 Disc Brakes on winch 1 brake on motor
Motor	120V AC (Must be on separate circuit from the lights)
Cable Length	35 ft. standard 65, 90, 120 ft. optional*
Wattage Maximum	1 circuit - 2,200 watts (standard) 2 circuit - 3,300 watts (optional)* 2 circuit - 4400 watts (optional)*
Dimensions of unit	18" wide x 24" long x 9" high
Shipping Weight	83 lbs.
Remote mounting options available	(65ft cable standard) Electrical Wiring 25ft standard (50ft optional)
International shipment available	Step-down Transformer for motor*
Programmable Key Switch	Standard
Relamping Cord (to temporarily relight chandelier at floor level)	Optional

****Special Order; must be ordered with unit and installed at factory***

SPECIFICATIONS

MODEL ALL1000

Maximum Lifting Capacity	1000 lb.
Cable Strength	3,000 lb.
Winch Assembly	2,500 lb. maximum
Locking Mechanisms (3)	2 Disc Brakes on winch 1 brake on motor
Motor	120V AC (Must be on separate circuit from the lights)
Cable Length	35 ft. standard 65, 90, 120 ft. optional*
Wattage Maximum	1 circuit - 2,200 watts (standard) 2 circuit - 3,300 watts (optional)* 2 circuit - 4400 watts (optional)*
Dimensions of unit	18" wide x 24" long x 9" high
Shipping Weight	93 lbs.
Remote mounting options available	(65ft cable standard) Electrical Wiring 25ft standard (50ft optional)
International shipment available	Step-down Transformer for motor*
Programmable Key Switch	Standard
Relamping Cord (to temporarily relight chandelier at floor level)	Optional

****Special Order; must be ordered with unit and installed at factory***